



GOVERNMENT OF MEGHALAYA
DIRECTORATE OF FOOD CIVIL SUPPLIES AND CONSUMER AFFAIRS
HORSESHOE BUILDING, LOWER LACHUMIERE, SHILLONG – 793 001

PRE-BID QUERIES
(CORRIGENDUM/ADDENDUM/CLARIFICATION)

(Dated Shillong the 9th March, 2023)

DSCA.96/2011/Pt.III/265: The Corrigendum/Addendum/Clarification to Pre-Bid Queries raised by prospective bidders in response to RFP No. NO DSCA.96/2011/Pt.III/242 dated 13/01/2023.

Based on the Queries received from the Bidders, the following Corrigendum/Addendum/Clarification for some crucial queries is hereby issued at **ANNEXURE - I**.

The Corrigendum/Addendum/Clarification is in response to queries raised by prospective bidders shall form an integral part of bid document and it may amount to an amendment of relevant Para/clause of the bid document. Wherever there is a conflict, the provisions herein shall prevail over the relevant Para/clause of the RFP/ bid document.

The other contents remained unchanged

Director,
Food, Civil Supplies and Consumer Affairs
Meghalaya, Shillong

Director,
Food Civil Supplies and Consumer Affairs,
Meghalaya, Shillong.

Dated Shillong the 9th March, 2023

**MEMO NO DSCA.96/2011/Pt.III/265 -A-
COPY TO:**

1. The Under Secretary to the Government of Meghalaya, Food Civil Supplies & Consumer Affairs Department, Meghalaya Shillong for favour of your kind information.
2. Smti. W. Rynjah, Senior Technical Director, NIC, Meghalaya, Shillong – 793001 with a request to upload the same on the Department website.
3. Office Notice Board

Director,
Food, Civil Supplies and Consumer Affairs
Meghalaya, Shillong

Director,
Food Civil Supplies and Consumer Affairs,
Meghalaya, Shillong.

Response of the queries submitted by the bidders which is accepted/rejected by the Department are provided below:

Annexure-I

1. Name of the Bidder : Linkwell Telesystems Pvt Ltd (VisionTek)

| Sl.No | Clause No in RFP | Page No | Content of the RFP clause | Clarification by Vendor | Response by Department |
|-------|-------------------------------|---------|---|---|---|
| 1 | 2.5.6 legal Stamping | 8 | The supplier should supply the machine, duly stamped by the officer concerned of the Legal metrology department of Meghalaya, to the consignee Fair Price shop owner and submit duly acknowledged copy of the document to concern Fair Price Shop owners godown of delivery | In general practice the yearly stamping is done by department, so request you to amend the scope of stamping as well as stamping cost to be borne by department. | No changes. Supplier should supply the machine, duly stamped by the Office Of The Controller Of Legal Metrology, Government of Meghalaya, to the consignee Fair Price shop owner and submit duly acknowledged copy of the document to concerned Fair Price Shop owners godown of delivery |
| 2 | 3.1.2 Eligibility Criteria | 10 | The bidder shall be System Integrator/ Distributor/ OEM of weighing machine holding valid license issued by the Department of Legal Metrology, Government of India. The Bidder are directed to upload valid Dealer/Manufacturer/ Repair license issued by the department of legal metrology, and the certificate of approval of the model issued by the department of Legal metrology govt of India | License of manufacturing is issued by the concern state where manufacturing unit is based, and dealing and license is issued in state where the devices are to be sold, please clarify if any valid license of any state for the model will justify the eligibility | The bidder shall be System Integrator/ Distributor/ OEM of weighing machine holding valid license issued by the Department of Legal Metrology, Government of India or State Government. The Bidders are directed to upload valid Dealer/Manufacturer/ Repair license issued by the department of legal metrology, and the certificate of approval of the model issued by the department of Legal Metrology Govt. of India or State Government |
| 4 | 3.2.2.e.3 Technical Evolution | 12 | The Bidder /OEM should have integration & Analysis capability with respect to hardware & software deployment. | Since e weighing scale is a non-smart device without IOT, Experience in AI/ML have no relevance. We will request department to include the experience in no of projects | No changes. The department requires AI/ML for future planning, operations & governance to improve services. |
| | | | • CMMi Level 3 & Above - 5 Point | • Experience of suppling weighing scale in 1 state of minimum 1500 device as - 5 Point | No changes. However, Suppliers may submit experience in supplying weighing scales to government as per point 7.1.15 of the Technical specification of electronic weighing scale machines & solution. |
| | | | • Deployment of Geospatial AI /ML Platform in minimum 1 state - 5 Point | • Experience of suppling weighing scale in 2 states of minimum 1500 device per state - 10 Point | |
| | | | • AI/ML Analysis with Interdisciplinary & multivariate Data sets in minimum 1 state - 5 Point | • Experience of suppling weighing scale in 3 or more state of minimum 1500 device per state - 15 Point | |



Director,
Food, Civil Supplies and Consumer Affairs
Meghalaya, Shillong

| | | | | | |
|----|---|----|---|--|--|
| 5 | 3.2.2.e.4 Technical Evaluation | 12 | <p>The Electronic weighing machine with</p> <ul style="list-style-type: none"> • IP 68 Certificate - 15 Point • IP 67 Certificate - 10 Point • IP 66 or lower Certificate - 5 Point | There are no IP rating available for platform weighing scale so we request department to remove this clause. | IP rating is required as Meghalaya is state with one of the Heaviest Rainfall. This will ensure that the Weighing Machines supplied will be able to withstand the high humidity and water exposure. IP Rating may be IP 66, 67,68, or higher. |
| 6 | 6.1.d Performance Bank Guarantee | 18 | The PBG shall be denominated in the currency of the contract and will be for an amount as mentioned above. All charges with respect to the PBG will be borne by the bidder. The PBG shall be remaining valid for a period of six years from the date of signing of contract | Please clarify the engagement term is for 3 years, but PBG validity of PBG is asked for 6 years, where as in Annexure IX format for performance bank guarantee its mentioned 4 years. Is it a typo error or department wants it like that. | Performance bank guarantee is for 4 years. |
| 7 | 4.1.2.2 Feature of Electronic Weighing scale | 16 | Device should have to prevent tampering and capability for tamper proofing & alerting | Sir as per our understanding no device have feature of preventing tampering or is tamper proof, Please amend the Claus as alert of tampering in server as alert can be triggered to server if the weighing scale is connected to the server | The e-Weighing scale should be Tamper-Resistant. If tampering is detected it should alert the server. |
| 8 | 4.1.2.5 Feature of Electronic Weighing scale | 18 | The machine should be IP 68 rated | In Technical evaluation point number 4 of table its mentioned IP 68, IP 67, IP 65. This is contradicting with the current point kindly clarify | The machine should be IP 66, 67, 68 or higher ratings. The higher the better. |
| 9 | 7.1.7 Technical specification of electronic weighing scale machine & solution | 24 | Approval :Govt of Meghalaya Legal Metrology Department Stamping with certification | As per our understanding the stamping and certification is done during the supply of device, if its made part of Technical speciation, then no bidder can participate, please amend the Claus as a sample of the e-weighing scale will be inspected and approved during the technical evaluation | Agreed |
| 10 | 7.1.8 Technical specification of electronic weighing scale machine & solution | 24 | The machine should be IP 68 rated | In Technical evaluation point number 4 of table its mentioned IP 68, IP 67, IP 65. This is contradicting with the current point kindly clarify | The machine should be IP 66, 67, 68 or higher ratings. The higher the better. |




Director,
 Food, Civil Supplies and Consumer Affairs
 Meghalaya, Shillong

| | | | | | |
|----|--|----|---|---|---|
| 11 | 7.1.9 Technical specification of electronic weighing scale machine & solution | 24 | The machine should be able to integrate or communicate with the ePOS device GL-11 of the state through USB cable or wireless connectivity | Here by wireless connectivity do state means Bluetooth or Bluetooth and WIFI | Bluetooth and WIFI |
| 12 | 7.1.10 Technical specification of electronic weighing scale machine & solution | 24 | Device should have feature to prevent tampering and capability for tamper proofing & alerting | Sir as per our understanding no device have feature of preventing tampering or is tamper proof, please amend the Claus as alert of tampering in server as alert can be trigger to server if the weighing scale is connected to the server | The e-Weighing scale should be Tamper-Resistant. If tampering is detected it should alert the server. |
| 13 | 7.1.11 Technical specification of electronic weighing scale machine & solution | 24 | Capacity should be able to take up to 100 KG | Sir please clarify as in all other places minimum 50 kg is mentioned, which is contradicting with the technical speciation, please clarify the capacity of weighing scale as its very important for the commercial quote. | Minimum Capacity is 50 Kg and the e-Weighing scale should be able to take up to 100 Kg |
| 14 | 7.3.2 Financial Proposal Format | 34 | | Please clarify, weather bidder need to quote price of one unit or cost of entire 5000 devices | Bidder needs to quote price for one unit and cost of entire 5000 devices. |

2. Name of the Bidder : Senrysa Technologies (P) Ltd


| | | | | | |
|---|--|----|---|---|---|
| 1 | 3.2.2.e.4 Technical Evolution | 12 | The Electronic weighing machine with <ul style="list-style-type: none"> • IP 68 Certificate - 15 Point • IP 67 Certificate - 10 Point • IP 66 or lower Certificate - 5 Point | There are no IP rating available for platform weighing scale so we request department to remove this clause. | IP rating is required as Meghalaya is state with one of the Heaviest Rainfall. This will ensure that the Weighing Machines supplied will be able to withstand the high humidity and water exposure. |
| 2 | 4.1.2.2 Feature of Electronic Weighing Scale | 16 | Device should have to prevent tampering and capability for tamper proofing & alerting | As we know, no device has a feature that prevents tampering or is tamper proof. Please amend the Clause as an alert of tampering in server as an alert can be triggered to server if the weighing scale is connected to the server. | The e-Weighing scale should be Tamper-Resistant. If tampering is detected it should alert the server. |
| 3 | 3.1 Eligibility Criteria (Point No. 4) | 10 | The bidder should have an annual turnover of Rs. 20 Crore in last 3 financial years (FY 19-20, FY 20-21, FY 21-22) | Requesting the department please increase the annual average turn over atleast 50 Cr. In last 3 Financial Years so that competent bidder participate in this tender. | No changes. |




 Director,
 Food, Civil Supplies and Consumer Affairs
 Meghalaya, Shillong

| | | | | | |
|---|--|----|--|--|--|
| 4 | 2.5.6. Legal Stamping | 8 | The supplier should supply the machine, duly stamped by the officer concerned of the Legal metrology department of Meghalaya, to the consignee Fair Price Shop owner and submit duly acknowledged copy of the document to concern Fair Price Shop owners godown of delivery. | As per normal SOP in context of Weighing Scale, stamping is done by department on yearly basis, Requesting the department to to amend the scope cost to be borne by department. | No changes. Supplier should supply the machine, duly stamped by the Office Of The Controller Of Legal Metrology, Government of Meghalaya, to the consignee Fair Price shop owner and submit duly acknowledged copy of the document to concerned Fair Price Shop owners godown of delivery |
| 5 | 7.1.7. Technical specification of electronic weighing scale machine & solution | 24 | Approval : Govt of Meghalaya Legal Metrology Department Stamping with certification. | The stamping and certification are performed during the supply of the device; if this is included in the technical specification, no bidder will be able to participate; please amend the Clause as a sample of the e-weighing scale will be inspected and approved during the technical evaluation. | Agreed |
| 6 | 7.1.10 Technical specification of electronic weighing scale machine & solution | 24 | Device should have feature to prevent tampering and capability for tamper proofing & alerting | No device has a feature that prevents tampering or is tamper proof; therefore, please amend the clause as an alert of tampering in server as an alert can be triggered to server if the weighing scale is connected to the server | The e-Weighing scale should be Tamper-Resistant. If tampering is detected it should alert the server. |
| 7 | 7.1.11 Technical specification of electronic weighing scale machine & solution | 24 | Capability should be able to take up to 100 KG | Please clarify as in all other places minimum 50kg is mentioned, which is contradicting with the technical speciation, please clarify the capacity of weighing scale as its very important for the commercial quote. | Minimum Capacity is 50 Kg and the e-Weighing scale should be able to take up to 100 Kg |
| 8 | 3.2.2.e.2 Technical Evaluation | 12 | Electronic Weighing machine supplied in last 3 financial year (FY 19-20, FY 20-21, FY 21-22) | Request you to please modify the point as mentioned: | No changes |
| | | | .Single Order of 1500 Weighing Machine = 5 Point | Bidder / OEM should have supplied Electronic Weighing machine supplied in last 3 financial year (FY 19-20, FY 20-21, FY 21-22) | |
| | | | .Single Order of more than 1500 Weighing Machine = 10 Point | .Single Order of 1500 Weighing Machine = 5 Point | |
| | | | | .Single Order of more than 1500 Weighing Machine = 10 Point | |
| 9 | Others | | Platform Size | Please clarify the platform size. Normally Platform size for 100 KG is 500 MM x 500 MM | Platform Size is standard size |




Director,
Food, Civil Supplies and Consumer Affairs
Meghalaya, Shillong

Suggestion to Department: Request you to consider the below mentioned credentials of OEM to get a good quality product.

| OEM Credentials for eligibility | Documents to be submitted | Response |
|---|---|--|
| 1. BIS certificate for the offered model | 1. BIS Certificate to be submitted | Agreed |
| 2. CE certification for the offered model | 2. CE Certificate to be submitted | Agreed |
| 3. ISO-9001 certification | 3. ISO 9001 Certificate to be submitted | Agreed |
| 4. Production capacity of minimum 3.0 lacs electronic weighing machines per year and the same to be certified by the Industrial Dept. | 4. Letter issued by the Dept. of Industries of respective state where the manufacturing unit is located. | Agreed |
| 5. Model approval for the offered model and Manufacturing License from Legal Metrology Dept. | 5. Model approval for the offered model and Manufacturing License from Legal Metrology Dept. to be submitted. | Agreed. Model approval for the offered model and Manufacturing License from Legal Metrology Dept from Government of India or State Government. |



[Signature]
Director,
Food, Civil Supplies and Consumer Affairs
Meghalaya, Shillong